




GETTING TO KNOW NUBEQA[®]

(darolutamide)



WHAT IS NUBEQA?

(NOO-bə-kə)

NUBEQA[®] tablets is a prescription medicine used to treat men with prostate cancer that has not spread to other parts of the body and no longer responds to a medical or surgical treatment that lowers testosterone.

IMPORTANT SAFETY INFORMATION

It is not known if NUBEQA is safe and effective in women and children. NUBEQA can harm unborn babies and cause loss of pregnancy. Men with female partners who may become pregnant should use birth control (contraception) during treatment and for 1 week after the last dose of NUBEQA.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.



NUBEQA[®]
(darolutamide) 300 mg
tablets



Questions answered in this brochure

What's the proof that it works?	4
What are the common side effects?	5
What should I talk to my healthcare provider about before starting NUBEQA?	6
How do I take it?	7
DUDE Access Services™ is here to help	8
Important Safety Information	12

TIP

Take notes at each visit

Flip to page 10 of this brochure for a place to take notes and fill out the contact information for your treatment team.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.



NUBEQA[®]
(darolutamide) 300 mg
tablets

What's the proof that it works?

NUBEQA was studied in a trial of 1,509 men living with prostate cancer that had not yet spread to other parts of the body. Men in the trial also received androgen deprivation therapy (ADT).*

The study measured the amount of time living without metastasis (muh-TAS-tuh-sis).

In the study, NUBEQA + ADT more than doubled the median† amount of time men lived without metastasis vs placebo + ADT



*ADT includes medical or surgical treatment that lowers testosterone.

†The median time is the middle number of a number set. In other words, half of the patients experienced numbers above the median and half of the patients experienced numbers below the median.

TIP

Set treatment goals with your doctor

When starting on NUBEQA, ask questions and set treatment goals with your healthcare team.

"How might NUBEQA delay the spread of my cancer?"

"What kind of side effects may I experience while taking NUBEQA?"

IMPORTANT SAFETY INFORMATION (cont'd)

Before taking NUBEQA, tell your healthcare provider about all your medical conditions, including if you:

- Have kidney or liver problems
- Are pregnant or plan to become pregnant. NUBEQA can cause harm to your unborn baby and loss of pregnancy (miscarriage).

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.

What are the common side effects?

NUBEQA may cause fertility problems in males, which may affect the ability to father children. Talk to your healthcare provider if you have concerns about fertility. Tell your healthcare provider if you have any side effect that bothers you or that does not go away.

Side effects you may experience more frequently include:



Feeling more tired than usual



Arm, leg, hand, or foot pain



Rash



Decreased white blood cells (neutropenia)



Changes in liver function tests

These are not all the possible side effects of NUBEQA

Be sure to tell your healthcare provider if you're experiencing any side effects while you're taking NUBEQA. They can help you manage any side effects you may be having.

TIP

Discuss side effects with your treatment team

Call your healthcare provider for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088 or by visiting www.FDA.gov/medwatch.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.


NUBEQA[®]
(darolutamide) 300 mg tablets

What should I talk to my healthcare provider about before starting NUBEQA?

Before taking NUBEQA, tell your healthcare provider about all your medical conditions, including if you:

- Have kidney or liver problems
- Are pregnant or plan to become pregnant. NUBEQA can cause harm to your unborn baby and loss of pregnancy (miscarriage)
- Have a partner who may become pregnant. Males who have female partners who may become pregnant should use effective birth control (contraception) during treatment and for 1 week after the last dose of NUBEQA. Talk with your healthcare provider about birth control methods
- Are breastfeeding or plan to breastfeed. It is not known if NUBEQA passes into breast milk

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. NUBEQA may affect the way other medicines work and other medicines may affect how NUBEQA works.

You should not start or stop any medicine before you talk with the healthcare provider who prescribed NUBEQA.

TIP

Make a list of all the medicines you're taking

Know the medicines you take. Keep a list of them with you to show to your healthcare provider and/or pharmacist when you get a new medicine.

How do I take it?

- Take NUBEQA exactly as your healthcare provider tells you

Take your prescribed dose of NUBEQA 2 times a day with food.



Pills not actual size.

- Swallow NUBEQA tablets whole
- If you miss a dose of NUBEQA, take your prescribed dose as soon as you remember before the next scheduled dose. **Do not take 2 doses together to make up for a missed dose**
- Your healthcare provider may change your dose if needed
- If you are receiving gonadotropin-releasing hormone (GnRH) analog therapy, you should continue with this treatment during your treatment with NUBEQA unless you had a surgery to lower the amount of testosterone in your body (surgical castration)

TIP

Store your medicine in a safe place

- Store NUBEQA at room temperature between 68°F and 77°F (20°C to 25°C)
- Keep the bottle tightly closed after you first open it

Keep NUBEQA and all medicines out of the reach of children.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.

**NUBEQA**[®]
(darolutamide) 300 mg
tablets

DUDE Access Services™ is here to help

DUDE Access Services is here to support you with a range of services and resources to:



Provide access to a nurse who can answer treatment questions



Assist with insurance coverage barriers



Help understand your insurance benefits for NUBEQA



Connect you with financial assistance to help pay for NUBEQA

TIP

To find out more about how these programs can help you, call DUDE Access Services



833-337-DUDE (3833)

MONDAY – FRIDAY

9:00 AM – 7:00 PM (EST)

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.

DUDE Access Services is here to help find the financial assistance that is right for you

NUBEQA \$0 Co-Pay Program—for eligible patients with insurance through an employer or insurance they have purchased themselves (also known as commercial or private insurance)*



Referrals to charitable foundations—may be able to help patients with government-sponsored insurance (such as Medicare, Medigap, Medicaid, VA/DoD health plans, and TRICARE) with out-of-pocket costs

- Patient Access Specialists can verify your coverage for NUBEQA and provide information about any available foundations

Bayer US Patient Assistance Foundation—provides free medication to patients who are uninsured or underinsured and meet certain eligibility criteria†

TIP

Save the DUDE Access Services number in your phone and be sure to answer and return all calls from the program

*Restrictions may apply. For full terms and conditions, please call DUDE Access Services at 1-833-337-DUDE (1-833-337-3833). Patients who are enrolled in any type of government insurance or reimbursement programs are not eligible. As a condition precedent of the co-payment support provided under this program, eg, co-pay refunds, participating patients and pharmacies are obligated to inform insurance companies and third-party payers of any benefits they receive and the value of this program, as required by contract or otherwise. Void where prohibited by law, taxed, or restricted. Eligibility and participation are subject to review and may be modified or discontinued at any time.

†Bayer provides NUBEQA free of charge for eligible patients who are uninsured or underinsured. In order to qualify for assistance, you must meet certain eligibility criteria.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.


NUBEQA[®]
(darolutamide) 300 mg
tablets

My treatment team

ONCOLOGIST

Name Phone #

E-mail

UROLOGIST

Name Phone #

E-mail

PRIMARY CARE DOCTOR

Name Phone #

E-mail

NURSE

Name Phone #

E-mail

CAREGIVER

Name Phone #

E-mail

SPECIALTY PHARMACY

Name Phone #

E-mail

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.

Important Safety Information

INDICATION

NUBEQA® (darolutamide) tablets is a prescription medicine used to treat men with prostate cancer that has not spread to other parts of the body and no longer responds to a medical or surgical treatment that lowers testosterone.

IMPORTANT SAFETY INFORMATION

It is not known if NUBEQA is safe and effective in women and children. NUBEQA can harm unborn babies and cause loss of pregnancy. Men with female partners who may become pregnant should use birth control (contraception) during treatment and for 1 week after the last dose of NUBEQA.

Before taking NUBEQA, tell your healthcare provider about all your medical conditions, including if you:

- Have kidney or liver problems
- Are pregnant or plan to become pregnant. NUBEQA can cause harm to your unborn baby and loss of pregnancy (miscarriage).
- Have a partner who may become pregnant. Males who have female partners who may become pregnant should use effective birth control (contraception) during treatment and for 1 week after the last dose of NUBEQA. Talk with your healthcare provider about birth control methods.
- Are breastfeeding or plan to breastfeed. It is not known if NUBEQA passes into breast milk.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. NUBEQA may affect the way other medicines work and other medicines may affect how NUBEQA works.

You should not start or stop any medicine without talking to your healthcare provider that prescribed NUBEQA.

Important Safety Information (cont'd)

Most common side effects of NUBEQA include:

- Feeling more tired than usual
- Arm, leg, hand or foot pain
- Rash
- Decreased white blood cells (neutropenia)
- Changes in tests that determine how your liver works (liver function tests)

NUBEQA may cause fertility problems in males, which may affect the ability to father children. Talk to your healthcare provider if you have concerns about fertility.

These are not all the possible side effects of NUBEQA. Call your doctor for medical advice about side effects. You may report side effects to the FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

Please see Important Safety Information throughout and full [Prescribing Information](#) for NUBEQA.


NUBEQA[®]
(darolutamide) 300 mg
tablets



For more information,
talk to a healthcare provider

and visit

www.NUBEQA.com

Please see Important Safety Information throughout
and full [Prescribing Information](#) for NUBEQA.



© 2019 Bayer. All rights reserved. BAYER, the Bayer Cross and NUBEQA are registered trademarks of Bayer, and DUDE Access Services is a trademark of Bayer. PP-DAR-US-0275-1 08/19 Printed in USA



NUBEQA[®]
(darolutamide) 300 mg
tablets